

## 1.HTML WITH INLINE CSS

```
<!DOCTYPE html>
```

```
<html>
```

```
<body>
```

```
<h1 style="color:blue;">This is a Blue Heading</h1>
```

```
</body>
```

```
</html>
```

**O/P:- This is a Blue Heading**

## 2. HTML WITH INTERNAL CSS

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<style type="text/css">
```

```
body {background-color: powderblue;}
```

```
h1 {color: blue; text-align:center; font-family:Arial;}
```

```
p {background-color: yellow;font-size:12px;}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<h1>This is a heading</h1>
```

```
<p>This is a paragraph.</p>
```

```
</body>  
</html>
```

o/p:-

# This is a heading

This is a paragraph.

### 3.HTML WITH EXTERNAL CSS

```
<!DOCTYPE html>  
<html>  
<head>  
  <link rel="stylesheet" href="styles.css">  
</head>  
<body>  
  
<h1>This is a heading</h1>  
<p>This is a paragraph.</p>  
  
</body>  
</html>
```

o/p:-

# This is a heading

This is a paragraph

## 4.HTML WITH CSS FONTS

```
<!DOCTYPE html>
<html>
<head>
<style>
h1 {
  color: blue;
  font-family: verdana;
  font-size: 300%;

}
p {
  color: red;
  font-family: courier;
  font-size: 160%;
}
</style>
</head>
<body>

<h1>This is a heading</h1>
<p>This is a paragraph.</p>

</body>
</html>
```

# This is a heading

This is a paragraph.

## 5.HTML WITH CSS USING THE ID ATTRIBUTE

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<style>
```

```
#p01 {
```

```
  color: blue;
```

```
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<p>This is a paragraph.</p>
```

```
<p>This is a paragraph.</p>
```

```
<p id="p01">I am different.</p>
```

```
</body>
```

```
</html>
```

o/p:-

This is a paragraph.

This is a paragraph.

**I am different.**

## 6.HTML WITH CSS USING THE CLASS ATTRIBUTE

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<style>
```

```
p.error {  
  color: red;
```

```
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<p>This is a paragraph.</p>
```

```
<p>This is a paragraph.</p>
```

```
<p class="error">I am different.</p>
```

```
<p>This is a paragraph.</p>
```

```
<p class="error">I am different too.</p>
```

```
</body>
```

```
</html>
```

o/p:-

This is a paragraph.

This is a paragraph.

**I am different.**

This is a paragraph.

I am different too.

## 7.HTML WITH CSS BORDERS

```
<!DOCTYPE html>
<html>
<head>
<style>
p {
  border: 1px solid powderblue;
}
</style>
</head>
<body>

<h1>This is a heading</h1>

<p>This is a paragraph.</p>
<p>This is a paragraph.</p>
<p>This is a paragraph.</p>

</body>
</html>
o/p:-
```

# This is a heading

This is a paragraph.

This is a paragraph.

This is a paragraph.

## 8.HTML WITH CSS PADDING

```
<!DOCTYPE html>
<html>
<head>
<style>
p {
  border: 1px solid powderblue;
  padding: 30px;
}
</style>
</head>
<body>

<h1>This is a heading</h1>

<p>This is a paragraph.</p>
<p>This is a paragraph.</p>
<p>This is a paragraph.</p>

</body>
</html>
```

o/p:-

# This is a heading

This is a paragraph.

This is a paragraph.

This is a paragraph.

## 9.HTML WITH CSS MARGIN

```
<!DOCTYPE html>
<html>
<head>
<style>
p {
  border: 1px solid powderblue;
  margin: 50px;
}
</style>
</head>
<body>

<h1>This is a heading</h1>

<p>This is a paragraph.</p>
<p>This is a paragraph.</p>
<p>This is a paragraph.</p>

</body>
</html>
o/p:-
```

# This is a heading

This is a paragraph.



This is a paragraph.

This is a paragraph.